

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


(Attorney Docket No. 36119.125US10)

In re Application of: June et al.) Examiner: Unassigned
Serial No: 09/349,915) Art Unit: 1636
Filed: July 8, 1999)
For: METHOD FOR SELECTIVELY STIMULATING PROLIFERATION OF T CELLS

CERTIFICATION UNDER 37 C.F.R. § 1.10

I hereby certify that the attached papers are being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" Service under 37 C.F.R. § 1.10 (EU260429526US) addressed to: **BOX SEQUENCE**, U.S. Patent and Trademark Office, 2011 South Clark Place, Customer Window, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202 on the date indicated below:

July 11, 2002
Date


Rebecca S. Tinio

U.S. Patent and Trademark Office
BOX SEQUENCE, Customer Window
2011 South Clark Place
Crystal Plaza Two
Lobby, Room 1B03
Arlington, VA 22202


STATEMENT UNDER 37 C.F.R. § 1.821(f)

Sir:

The diskette enclosed herewith contains a computer readable form of the Substitute Sequence Listing for the above-identified patent application. The information recorded in the computer readable form on the diskette is identical to the written Substitute Sequence Listing. The computer readable form of the Substitute Sequence Listing contained on this diskette is understood to comply with the requirements of 37 C.F.R. § 1.821(f).

No fees are believed to be due in connection with this matter. However, please charge any fees that might be due to our Deposit Account No. 08-0219.

Respectfully submitted,
HALE AND DORR LLP


Colleen Superko
Reg. No. 39,850

Date: July 11, 2002

60 State Street
Boston, MA 02109



SEQLIST.txt

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANTS: June, Carl H., Thompson, Craig B., Nabel, Gary J.
Gray, Gary S., Rennert, Paul D.

(ii) TITLE OF INVENTION: Methods For Selectively Stimulating
Proliferation of T-Cells

(iii) NUMBER OF SEQUENCES: 14

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: HALE AND DORR LLP
- (B) STREET: 60 State Street
- (C) CITY: Boston
- (D) STATE: Massachusetts
- (E) COUNTRY: USA
- (F) ZIP: 02109

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: 09/349,915
- (B) FILING DATE: July 8, 1999
- (C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/403,253
- (B) FILING DATE: March 10, 1995
- (A) APPLICATION NUMBER: US 08/253,964
- (B) FILING DATE: 3 JUNE 1994
- (A) APPLICATION NUMBER: US 08/073,223
- (B) FILING DATE: 4 JUNE 1993
- (A) APPLICATION NUMBER: US 08/200,947
- (B) FILING DATE: 23 FEB 1994
- (A) APPLICATION NUMBER: US 07/864,805
- (B) FILING DATE: 7 APR 1992
- (A) APPLICATION NUMBER: US 08/247,505
- (B) FILING DATE: 23 MAY 1994
- (A) APPLICATION NUMBER: US 07/864,866
- (B) FILING DATE: 7 APR 1992
- (A) APPLICATION NUMBER: US 08/218,155
- (B) FILING DATE: 25 MAR 1994
- (A) APPLICATION NUMBER: US 07/864,807
- (B) FILING DATE: 7 APR 1992
- (A) APPLICATION NUMBER: US 07/902,467
- (B) FILING DATE: 16 JUNE 1992
- (A) APPLICATION NUMBER: US 07/275,433
- (B) FILING DATE: 23 NOV 1988

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Superko, Colleen
- (B) REGISTRATION NUMBER: 39,850
- (C) REFERENCE/DOCKET NUMBER: 36119-125(US10)

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: (617) 526-6564

(B) TELEFAX: (617) 526-5000

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1491 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: no

(iv) ANTI-SENSE: no

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: Homo sapien
- (F) TISSUE TYPE: lymphoid
- (G) CELL TYPE: B cell
- (H) CELL LINE: Raji

(vii) IMMEDIATE SOURCE:

- (A) LIBRARY: cDNA in pCDM8 vector
- (B) CLONE: B7, Raji clone #13

(viii) POSITION IN GENOME:

- (A) CHROMOSOME/SEGMENT: 3

(ix) FEATURE:

- (A) NAME/KEY: Open reading frame (translated region)
- (B) LOCATION: 318 to 1181 bp
- (C) IDENTIFICATION METHOD: similarity to other pattern

(ix) FEATURE:

- (A) NAME/KEY: Alternate polyadenylation signal
- (B) LOCATION: 1474 to 1479 bp
- (C) IDENTIFICATION METHOD: similarity to other pattern

(x) PUBLICATION INFORMATION:

- (A) AUTHORS: FREEMAN, GORDON J.
FREEDMAN, ARNOLD S.
SEGIL, JEFFREY M.
LEE, GRACE
WHITMAN, JAMES F.
NADLER, LEE M.
- (B) TITLE: B7, A New Member Of The Ig Superfamily With
Unique Expression On Activated And Neoplastic B Cells
- (C) JOURNAL: The Journal of Immunology
- (D) VOLUME: 143
- (E) ISSUE: 8
- (F) PAGES: 2714-2722
- (G) DATE: 15-OCT-1989
- (H) RELEVANT RESIDUES In SEQ ID NO:1: FROM 1 TO 1491

SEQLIST.txt

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CCAAAGAAAA AGTGATTTGT CATTGCTTTA TAGACTGTAA GAAGAGAACA TCTCAGAAGT	60
GGAGTCTTAC CCTGAAATCA AAGGATTTAA AGAAAAAGTG GAATTTTCT TCAGCAAGCT	120
GTGAAACTAA ATCCACAACC TTTGGAGACC CAGGAACACC CTCCAATCTC TGTGTGTTTT	180
GTAAACATCA CTGGAGGGTC TTCTACGTGA GCAATTGGAT TGTCATCAGC CCTGCCTGTT	240
TGACACCTGG GAAAGTCCCCT GGTCTTACTT GGGTCCAAAT TGTTGGCTTT CACTTTTGAC	300
CCTAAGCATC TGAAGCC ATG GGC CAC ACA CGG AGG CAG GGA ACA TCA CCA TCC	353
Met Gly His Thr Arg Arg Gln Gly Thr Ser Pro Ser	
-30 -25	
AAG TGT CCA TAC CTG AAT TTC TTT CAG CTC TTG GTG CTG GCT GGT CTT	401
Lys Cys Pro Tyr Leu Asn Phe Phe Gln Leu Leu Val Leu Ala Gly Leu	
-20 -15 -10	
TCT CAC TTC TGT TCA GGT GTT ATC CAC GTG ACC AAG GAA GTG AAA GAA	449
Ser His Phe Cys Ser Gly Val Ile His Val Thr Lys Glu Val Lys Glu	
-5 1 5 10	
GTG GCA ACG CTG TCC TGT GGT CAC AAT GTT TCT GTT GAA GAG CTG GCA	497
Val Ala Thr Leu Ser Cys Gly His Asn Val Ser Val Glu Glu Leu Ala	
15 20 25	
CAA ACT CGC ATC TAC TGG CAA AAG GAG AAG AAA ATG GTG CTG ACT ATG	545
Gln Thr Arg Ile Tyr Trp Gln Lys Glu Lys Lys Met Val Leu Thr Met	
30 35 40	
ATG TCT GGG GAC ATG AAT ATA TGG CCC GAG TAC AAG AAC CGG ACC ATC	593
Met Ser Gly Asp Met Asn Ile Trp Pro Glu Tyr Lys Asn Arg Thr Ile	
45 50 55	
TTT GAT ATC ACT AAT AAC CTC TCC ATT GTG ATC CTG GCT CTG CGC CCA	641
Phe Asp Ile Thr Asn Asn Leu Ser Ile Val Ile Leu Ala Leu Arg Pro	
60 65 70	
TCT GAC GAG GGC ACA TAC GAG TGT GTT GTT CTG AAG TAT GAA AAA GAC	689
Ser Asp Glu Gly Thr Tyr Glu Cys Val Val Leu Lys Tyr Glu Lys Asp	
75 80 85 90	
GCT TTC AAG CGG GAA CAC CTG GCT GAA GTG ACG TTA TCA GTC AAA GCT	737
Ala Phe Lys Arg Glu His Leu Ala Glu Val Thr Leu Ser Val Lys Ala	
95 100 105	
GAC TTC CCT ACA CCT AGT ATA TCT GAC TTT GAA ATT CCA ACT TCT AAT	785
Asp Phe Pro Thr Pro Ser Ile Ser Asp Phe Glu Ile Pro Thr Ser Asn	
110 115 120	

SEQLIST.txt

ATT AGA AGG ATA ATT TGC TCA ACC TCT GGA GGT TTT CCA GAG CCT CAC 833
Ile Arg Arg Ile Ile Cys Ser Thr Ser Gly Gly Phe Pro Glu Pro His
125 130 135

CTC TCC TGG TTG GAA AAT GGA GAA GAA TTA AAT GCC ATC AAC ACA ACA 881
Leu Ser Trp Leu Glu Asn Gly Glu Glu Leu Asn Ala Ile Asn Thr Thr
140 145 150

GTT TCC CAA GAT CCT GAA ACT GAG CTC TAT GCT GTT AGC AGC AAA CTG 929
Val Ser Gln Asp Pro Glu Thr Glu Leu Tyr Ala Val Ser Ser Lys Leu
155 160 165 170

GAT TTC AAT ATG ACA ACC AAC CAC AGC TTC ATG TGT CTC ATC AAG TAT 977
Asp Phe Asn Met Thr Thr Asn His Ser Phe Met Cys Leu Ile Lys Tyr
175 180 185

GGA CAT TTA AGA GTG AAT CAG ACC TTC AAC TGG AAT ACA ACC AAG CAA 1025
Gly His Leu Arg Val Asn Gln Thr Phe Asn Trp Asn Thr Thr Lys Gln
190 195 200

GAG CAT TTT CCT GAT AAC CTG CTC CCA TCC TGG GCC ATT ACC TTA ATC 1073
Glu His Phe Pro Asp Asn Leu Leu Pro Ser Trp Ala Ile Thr Leu Ile
205 210 215

TCA GTA AAT GGA ATT TTT GTG ATA TGC TGC CTG ACC TAC TGC TTT GCC 1121
Ser Val Asn Gly Ile Phe Val Ile Cys Cys Leu Thr Tyr Cys Phe Ala
220 225 230

CCA AGA TGC AGA GAG AGA AGG AGG AAT GAG AGA TTG AGA AGG GAA AGT 1169
Pro Arg Cys Arg Glu Arg Arg Asn Glu Arg Leu Arg Arg Glu Ser
235 240 245 250

GTA CGC CCT GTA TAACAGTGTC CGCAGAAGCA AGGGGCTGAA AAGATCTGAA 1221
Val Arg Pro Val

GGTAGCCTCC GTCATCTCTT CTGGGATACA TGGATCGTGG GGATCATGAG GCATTCTTCC 1281

CTTAACAAAT TTAAGCTGTT TTACCCACTA CCTCACCTTC TTA AAAACCT CTTTCAGATT 1341

AAGCTGAACA GTTACAAGAT GGCTGGCATC CCTCTCCTTT CTCCCCATAT GCAATTTGCT 1401

TAATGTAACC TCTTCTTTTG CCATGTTTCC ATTCTGCCAT CTTGAATTGT CTTGTCAGCC 1461

AATTCATTAT CTATTAAACA CTAATTTGAG
1491

(3) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 288 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

- (A) DESCRIPTION: B cell activation antigen; natural ligand for CD28 T cell surface antigen; transmembrane protein

(ix) FEATURE:

- (A) NAME/KEY: signal sequence
- (B) LOCATION: -34 to -1
- (C) IDENTIFICATION METHOD: amino terminal sequencing of soluble protein
- (D) OTHER INFORMATION: hydrophobic

(ix) FEATURE:

- (A) NAME/KEY: extracellular domain
- (B) LOCATION: 1 to 208
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: transmembrane domain
- (B) LOCATION: 209 to 235
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: intracellular domain
- (B) LOCATION: 236 to 254
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 19 to 21
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 55 to 57
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 64 to 66
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 152 to 154
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 173 to 175
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 177 to 179
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 192 to 194
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: N-linked glycosylation
- (B) LOCATION: 198 to 200
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: Ig V-set domain
- (B) LOCATION: 1 to 104
- (C) IDENTIFICATION METHOD: similarity with known sequence

(ix) FEATURE:

- (A) NAME/KEY: Ig C-set domain
- (B) LOCATION: 105 to 202
- (C) IDENTIFICATION METHOD: similarity with known sequence

(x) PUBLICATION INFORMATION:

- (A) AUTHORS: FREEMAN, GORDON J.
FREEDMAN, ARNOLD S.
SEGIL, JEFFREY M.
LEE, GRACE

WHITMAN, JAMES F.
NADLER, LEE M.

- (B) TITLE: B7, A New Member Of The Ig Superfamily With
Unique Expression On Activated And Neoplastic B Cells
(C) JOURNAL: The Journal of Immunology
(D) VOLUME: 143
(E) ISSUE: 8
(F) PAGES: 2714-2722
(G) DATE: 15-OCT-1989
(H) RELEVANT RESIDUES IN SEQUENCE ID NO:2: From -26 to 262

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Gly His Thr Arg Arg Gln Gly Thr Ser Pro Ser Lys Cys Pro Tyr
 -30 -25 -20
Leu Asn Phe Phe Gln Leu Leu Val Leu Ala Gly Leu Ser His Phe Cys
 -15 -10 -5
Ser Gly Val Ile His Val Thr Lys Glu Val Lys Glu Val Ala Thr Leu
 -1 1 5 10
Ser Cys Gly His Asn Val Ser Val Glu Glu Leu Ala Gln Thr Arg Ile
 15 20 25 30
Tyr Trp Gln Lys Glu Lys Lys Met Val Leu Thr Met Met Ser Gly Asp
 35 40 45
Met Asn Ile Trp Pro Glu Tyr Lys Asn Arg Thr Ile Phe Asp Ile Thr
 50 55 60
Asn Asn Leu Ser Ile Val Ile Leu Ala Leu Arg Pro Ser Asp Glu Gly
 65 70 75
Thr Tyr Glu Cys Val Val Leu Lys Tyr Glu Lys Asp Ala Phe Lys Arg
 80 85 90
Glu His Leu Ala Glu Val Thr Leu Ser Val Lys Ala Asp Phe Pro Thr
 95 100 105 110
Pro Ser Ile Ser Asp Phe Glu Ile Pro Thr Ser Asn Ile Arg Arg Ile
 115 120 125
Ile Cys Ser Thr Ser Gly Gly Phe Pro Glu Pro His Leu Ser Trp Leu
 130 135 140
Glu Asn Gly Glu Glu Leu Asn Ala Ile Asn Thr Thr Val Ser Gln Asp
 145 150 155
Pro Glu Thr Glu Leu Tyr Ala Val Ser Ser Lys Leu Asp Phe Asn Met
 160 165 170
Thr Thr Asn His Ser Phe Met Cys Leu Ile Lys Tyr Gly His Leu Arg
 175 180 185 190
Val Asn Gln Thr Phe Asn Trp Asn Thr Thr Lys Gln Glu His Phe Pro
 195 200 205
Asp Asn Leu Leu Pro Ser Trp Ala Ile Thr Leu Ile Ser Val Asn Gly
 210 215 220

SEQLIST.txt

Ile Phe Val Ile Cys Cys Leu Thr Tyr Cys Phe Ala Pro Arg Cys Arg
 225 230 235
 Glu Arg Arg Arg Asn Glu Arg Leu Arg Arg Glu Ser Val Arg Pro Val
 240 245 250

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1120 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

- (ix) FEATURE:
 (A) NAME/KEY: CDS
 (B) LOCATION: 107..1093

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CACAGGGTGA AAGCTTTGCT TCTCTGCTGC TGTAACAGGG ACTAGCACAG ACACACGGAT 60
 GAGTGGGGTTC ATTTCCAGAT ATTAGGTCAC AGCAGAAGCA GCCAAA ATG GAT CCC 115
 Met Asp Pro
 1
 CAG TGC ACT ATG GGA CTG AGT AAC ATT CTC TTT GTG ATG GCC TTC CTG 163
 Gln Cys Thr Met Gly Leu Ser Asn Ile Leu Phe Val Met Ala Phe Leu
 5 10 15
 CTC TCT GGT GCT GCT CCT CTG AAG ATT CAA GCT TAT TTC AAT GAG ACT 211
 Leu Ser Gly Ala Ala Pro Leu Lys Ile Gln Ala Tyr Phe Asn Glu Thr
 20 25 30 35
 GCA GAC CTG CCA TGC CAA TTT GCA AAC TCT CAA AAC CAA AGC CTG AGT 259
 Ala Asp Leu Pro Cys Gln Phe Ala Asn Ser Gln Asn Gln Ser Leu Ser
 40 45 50
 GAG CTA GTA GTA TTT TGG CAG GAC CAG GAA AAC TTG GTT CTG AAT GAG 307
 Glu Leu Val Val Phe Trp Gln Asp Gln Glu Asn Leu Val Leu Asn Glu
 55 60 65
 GTA TAC TTA GGC AAA GAG AAA TTT GAC AGT GTT CAT TCC AAG TAT ATG 355
 Val Tyr Leu Gly Lys Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met
 70 75 80
 GGC CGC ACA AGT TTT GAT TCG GAC AGT TGG ACC CTG AGA CTT CAC AAT 403
 Gly Arg Thr Ser Phe Asp Ser Asp Ser Trp Thr Leu Arg Leu His Asn
 85 90 95
 CTT CAG ATC AAG GAC AAG GGC TTG TAT CAA TGT ATC ATC CAT CAC AAA 451
 Leu Gln Ile Lys Asp Lys Gly Leu Tyr Gln Cys Ile Ile His His Lys
 100 105 110 115
 AAG CCC ACA GGA ATG ATT CGC ATC CAC CAG ATG AAT TCT GAA CTG TCA 499
 Lys Pro Thr Gly Met Ile Arg Ile His Gln Met Asn Ser Glu Leu Ser
 120 125 130

SEQLIST.txt

GTG CTT GCT AAC TTC AGT CAA CCT GAA ATA GTA CCA ATT TCT AAT ATA	547
Val Leu Ala Asn Phe Ser Gln Pro Glu Ile Val Pro Ile Ser Asn Ile	
135 140 145	
ACA GAA AAT GTG TAC ATA AAT TTG ACC TGC TCA TCT ATA CAC GGT TAC	595
Thr Glu Asn Val Tyr Ile Asn Leu Thr Cys Ser Ser Ile His Gly Tyr	
150 155 160	
CCA GAA CCT AAG AAG ATG AGT GTT TTG CTA AGA ACC AAG AAT TCA ACT	643
Pro Glu Pro Lys Lys Met Ser Val Leu Leu Arg Thr Lys Asn Ser Thr	
165 170 175	
ATC GAG TAT GAT GGT ATT ATG CAG AAA TCT CAA GAT AAT GTC ACA GAA	691
Ile Glu Tyr Asp Gly Ile Met Gln Lys Ser Gln Asp Asn Val Thr Glu	
180 185 190 195	
CTG TAC GAC GTT TCC ATC AGC TTG TCT GTT TCA TTC CCT GAT GTT ACG	739
Leu Tyr Asp Val Ser Ile Ser Leu Ser Val Ser Phe Pro Asp Val Thr	
200 205 210	
AGC AAT ATG ACC ATC TTC TGT ATT CTG GAA ACT GAC AAG ACG CGG CTT	787
Ser Asn Met Thr Ile Phe Cys Ile Leu Glu Thr Asp Lys Thr Arg Leu	
215 220 225	
TTA TCT TCA CCT TTC TCT ATA GAG CTT GAG GAC CCT CAG CCT CCC CCA	835
Leu Ser Ser Pro Phe Ser Ile Glu Leu Glu Asp Pro Gln Pro Pro Pro	
230 235 240	
GAC CAC ATT CCT TGG ATT ACA GCT GTA CTT CCA ACA GTT ATT ATA TGT	883
Asp His Ile Pro Trp Ile Thr Ala Val Leu Pro Thr Val Ile Ile Cys	
245 250 255	
GTG ATG GTT TTC TGT CTA ATT CTA TGG AAA TGG AAG AAG AAG AAG CGG	931
Val Met Val Phe Cys Leu Ile Leu Trp Lys Trp Lys Lys Lys Lys Arg	
260 265 270 275	
CCT CGC AAC TCT TAT AAA TGT GGA ACC AAC ACA ATG GAG AGG GAA GAG	979
Pro Arg Asn Ser Tyr Lys Cys Gly Thr Asn Thr Met Glu Arg Glu Glu	
280 285 290	
AGT GAA CAG ACC AAG AAA AGA GAA AAA ATC CAT ATA CCT GAA AGA TCT	1027
Ser Glu Gln Thr Lys Lys Arg Glu Lys Ile His Ile Pro Glu Arg Ser	
295 300 305	
GAT GAA GCC CAG CGT GTT TTT AAA AGT TCG AAG ACA TCT TCA TGC GAC	1075
Asp Glu Ala Gln Arg Val Phe Lys Ser Ser Lys Thr Ser Ser Cys Asp	
310 315 320	
AAA AGT GAT ACA TGT TTT TAATTAAAGA GTAAAGCCCA AAAAAAA	1120
Lys Ser Asp Thr Cys Phe	
325	

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 329 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Asp Pro Gln Cys Thr Met Gly Leu Ser Asn Ile Leu Phe Val Met
1 5 10 15
Ala Phe Leu Leu Ser Gly Ala Ala Pro Leu Lys Ile Gln Ala Tyr Phe
20 25 30
Asn Glu Thr Ala Asp Leu Pro Cys Gln Phe Ala Asn Ser Gln Asn Gln
35 40 45
Ser Leu Ser Glu Leu Val Val Phe Trp Gln Asp Gln Glu Asn Leu Val
50 55 60
Leu Asn Glu Val Tyr Leu Gly Lys Glu Lys Phe Asp Ser Val His Ser
65 70 75 80
Lys Tyr Met Gly Arg Thr Ser Phe Asp Ser Asp Ser Trp Thr Leu Arg
85 90 95
Leu His Asn Leu Gln Ile Lys Asp Lys Gly Leu Tyr Gln Cys Ile Ile
100 105 110
His His Lys Lys Pro Thr Gly Met Ile Arg Ile His Gln Met Asn Ser
115 120 125
Glu Leu Ser Val Leu Ala Asn Phe Ser Gln Pro Glu Ile Val Pro Ile
130 135 140
Ser Asn Ile Thr Glu Asn Val Tyr Ile Asn Leu Thr Cys Ser Ser Ile
145 150 155 160
His Gly Tyr Pro Glu Pro Lys Lys Met Ser Val Leu Leu Arg Thr Lys
165 170 175
Asn Ser Thr Ile Glu Tyr Asp Gly Ile Met Gln Lys Ser Gln Asp Asn
180 185 190
Val Thr Glu Leu Tyr Asp Val Ser Ile Ser Leu Ser Val Ser Phe Pro
195 200 205
Asp Val Thr Ser Asn Met Thr Ile Phe Cys Ile Leu Glu Thr Asp Lys
210 215 220
Thr Arg Leu Leu Ser Ser Pro Phe Ser Ile Glu Leu Glu Asp Pro Gln
225 230 235 240
Pro Pro Pro Asp His Ile Pro Trp Ile Thr Ala Val Leu Pro Thr Val
245 250 255
Ile Ile Cys Val Met Val Phe Cys Leu Ile Leu Trp Lys Trp Lys Lys
260 265 270
Lys Lys Arg Pro Arg Asn Ser Tyr Lys Cys Gly Thr Asn Thr Met Glu
275 280 285
Arg Glu Glu Ser Glu Gln Thr Lys Lys Arg Glu Lys Ile His Ile Pro
290 295 300
Glu Arg Ser Asp Glu Ala Gln Arg Val Phe Lys Ser Ser Lys Thr Ser
305 310 315 320

Ser Cys Asp Lys Ser Asp Thr Cys Phe SEQLIST.txt
325

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 1
- (D) OTHER INFORMATION: /label=Xaa is any amino acid

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 3
- (D) OTHER INFORMATION: /label=Xaa is any amino acid

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 6
- (D) OTHER INFORMATION: /label=Xaa is any amino acid

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 7
- (D) OTHER INFORMATION: /label=Xaa is any amino acid

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 8
- (D) OTHER INFORMATION: /label=Xaa is Asp or Glu

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 9
- (D) OTHER INFORMATION: /label=Xaa is any amino acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Xaa Gly Xaa Trp Leu Xaa Xaa Xaa Xaa
5

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 227 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Pro Val Lys Gly Gly Thr Lys Cys Ile Lys Tyr Leu Leu Phe Gly Phe
5 10 15

SEQLIST.txt

Asn Phe Ile Phe Trp Leu Ala Gly Ile Ala Val Leu Ala Ile Gly Leu
 20 25 30
 Trp Leu Arg Phe Asp Ser Gln Thr Lys Ser Ile Phe Glu Gln Glu Thr
 35 40 45
 Asn Asn Asn Asn Ser Ser Phe Tyr Thr Gly Val Tyr Ile Leu Ile Gly
 50 55 60
 Ala Gly Ala Leu Met Met Leu Val Gly Phe Leu Gly Cys Cys Gly Ala
 65 70 75 80
 Val Gln Glu Ser Gln Cys Met Leu Gly Leu Phe Phe Gly Phe Leu Leu
 85 90 95
 Val Ile Phe Ala Ile Glu Ile Ala Ala Ala Ile Trp Gly Tyr Ser His
 100 105 110
 Lys Asp Glu Val Ile Lys Glu Val Gln Glu Phe Tyr Lys Asp Thr Tyr
 115 120 125
 Asn Lys Leu Lys Thr Lys Asp Glu Pro Gln Arg Glu Thr Leu Lys Ala
 130 135 140
 Ile His Tyr Ala Leu Asn Cys Cys Gly Leu Ala Gly Gly Val Glu Gln
 145 150 155 160
 Phe Ile Ser Asp Ile Cys Pro Lys Lys Asp Val Leu Glu Thr Phe Thr
 165 170 175
 Val Lys Ser Cys Pro Asp Ala Ile Lys Glu Val Phe Asp Asn Lys Phe
 180 185 190
 His Ile Ile Gly Ala Val Gly Ile Gly Ile Ala Val Val Met Ile Phe
 195 200 205
 Gly Met Ile Phe Ser Met Ile Leu Cys Cys Ala Ile Arg Arg Asn Arg
 210 215 220
 Glu Met Val
 225

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Gly Leu Trp Leu Arg Phe Asp
 1 5

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

His Gln Phe Cys Asp His Trp Gly Cys Trp Leu Leu Arg Glu Thr His
1 5 10 15
Ile Phe Thr Pro
20

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Leu Arg Leu Val Leu Glu Asp Pro Gly Ile Trp Leu Arg Pro Asp Tyr
1 5 10 15
Phe Phe Pro Ala
20

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Gly Cys Trp Leu Leu Arg Glu
1 5

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Gly Ile Trp Leu Arg Pro Asp
1 5

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

- (ix) FEATURE:
 - (A) NAME/KEY: misc_feature
 - (B) LOCATION: 2
 - (D) OTHER INFORMATION: /label=Xaa is any amino acid

- (ix) FEATURE:
 - (A) NAME/KEY: misc_feature
 - (B) LOCATION: 5
 - (D) OTHER INFORMATION: /label=Xaa is any amino acid

- (ix) FEATURE:
 - (A) NAME/KEY: misc_feature
 - (B) LOCATION: 6
 - (D) OTHER INFORMATION: /label=Xaa is Asp or Glu

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Gly Xaa Trp Leu Xaa Xaa
1 5

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

CTTAGAGCA CA

12

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

CTCTAAAG

8

B7
Conclude